

Supplemental Table 1. IgG ratio analysed by the anti-SARS-CoV-2 ELISA (EUROIMMUN) in tear fluid and serum of the IgG positive cohort.

Study number	Sample site	Ratio IgG
1	Tears	1.15
	Serum	6.78
2	Tears	0.35
	Serum	2.3
3	Tears	0.19
	Serum	2.45
4	Tears	0.87
	Serum	3.55
5	Tears	0.12
	Serum	1.77
6	Tears	0.12
	Serum	1.98
7	Tears	1.33
	Serum	10.98
8	Tears	0.55
	Serum	10.22
9	Tears	0.14
	Serum	2.56
10	Tears	0.56
	Serum	4.73
11	Tears	0.16
	Serum	6.12
12	Tears	0.22
	Serum	3.85
13	Tears	0.18
	Serum	3.67
14	Tears	0.08
	Serum	1.17
15	Tears	0.27
	Serum	3.23
16	Tears	0.08
	Serum	1.15
17	Tears	0.41
	Serum	3.22
18	Tears	0.07
	Serum	1.29
19	Tears	0.47
	Serum	4.46
20	Tears	0.1
	Serum	2.77
21	Tears	0.05
	Serum	3.35
22	Tears	0.64
	Serum	7.29