

The 100 most-cited papers on age-related macular degeneration: a bibliographic perspective

 Andrzej Grzybowski,^{1,2} Chen Shtayer,³ Stephen G Schwartz ,⁴ Elad Moisseiev^{3,5}

To cite: Grzybowski A, Shtayer C, Schwartz SG, *et al.* The 100 most-cited papers on age-related macular degeneration: a bibliographic perspective. *BMJ Open Ophthalmology* 2021;**6**:e000823. doi:10.1136/bmjophth-2021-000823

► Additional online supplemental material is published online only. To view, please visit the journal online (<http://dx.doi.org/10.1136/bmjophth-2021-000823>).

Received 7 June 2021
 Accepted 19 June 2021



© Author(s) (or their employer(s)) 2021. Re-use permitted under CC BY-NC. No commercial re-use. See rights and permissions. Published by BMJ.

¹Institute for Research in Ophthalmology, Poznan, Poland

²Ophthalmology, University of Warmia and Mazury, Olsztyn, Poland

³Ophthalmology, Meir Medical Center, Kfar Saba, Israel

⁴Ophthalmology, Bascom Palmer Eye Institute, University of Miami Miller School of Medicine, Naples, Florida, USA

⁵Ophthalmology, Sackler School of Medicine, Tel Aviv University, Tel Aviv, Israel

Correspondence to

Dr Stephen G Schwartz;
 sschwartz2@med.miami.edu

ABSTRACT

The 100 most-cited papers on age-related macular degeneration (AMD) were analysed using a bibliographic study. The bibliographic databases of the Institute for Scientific Information Web of Knowledge were searched, limited to research articles published between 1965 and 2020 in peer-reviewed journals. The papers were ranked in order of number of citations since publication. Five of the top 10 (and 3 of the top 4) papers reported randomised clinical trial results for either anti-vascular endothelial growth factor agents or nutritional supplements. Four of the top 10 papers reported genotype-phenotype associations between AMD and variants in *Complement Factor H*. This bibliographic study provides perspective and insight into many of the most influential contributions in the understanding and management of AMD and its evolution over time.

Age-related macular degeneration (AMD) remains the leading cause of irreversible visual loss among the elderly in industrialised nations.¹ Despite substantial progress in the diagnosis and treatment of AMD over the past 20 years, there are many unmet clinical needs.² AMD is the subject of extensive basic science, translational and clinical research efforts, resulting in thousands of peer-reviewed publications.

Historically, AMD was first described in the second half of the 19th century, after the invention and introduction of the ophthalmoscope. The disorder was known under different names, and these names might have varied between languages. In the first half of the 20th century, it was called among other names, disciform macular degeneration, retinal circinate degeneration (Fuchs' circinate retinitis), external exudative retinitis, tumour-like tissue proliferation in the macula lutea, senile exudative macular retinitis, senile macular degeneration, central senile chorioretinitis, and serous and haemorrhagic disciform detachment of the macula. In the second half of the 20th century, most researchers used either senile macular degeneration or AMD, although other terms could be found, including senile exudative

maculopathy, disciform detachment of the neuroepithelium, senile disciform macular detachment, senile macular choroidal degeneration, age-related maculopathy, age-dependent macular degeneration, age-related macular disease and ageing macular disease/disorder.^{3–5} This evolution demonstrates the importance of using a unified terminology for knowledge dissemination and development.

Over the past 30 or so years, the primary diagnostic modality for AMD has evolved from fluorescein angiography to optical coherence tomography (OCT) and OCT angiography, and the primary therapeutic modality for patients with neovascular AMD has evolved from no therapy, to thermal photocoagulation,⁶ to photodynamic therapy (PDT),⁷ to antivascular endothelial growth factor (anti-VEGF) agents, including chronologically pegaptanib (Macugen),⁸ bevacizumab (Avastin),⁹ ranibizumab (Lucentis)^{10 11} and Eylea (aflibercept) with different treatment protocols.¹² Most patients with at least intermediate AMD are offered nutritional supplementation per the Age-Related Eye Disease Study (AREDS).¹³ And there is a growing understanding of the complex genetic risk factors affecting the pathogenesis of the disease.^{14–17}

One approach to evaluate the impact of an individual scientific article is by the number of subsequent citations.^{18 19} Our group has used this approach to report the 100 most-cited papers on vitrectomy,²⁰ intravitreal injections²¹ and retinal detachment.²² Other investigators have used similar techniques in other areas of ophthalmology.^{23–26}

In this study, we identified the 100 most-cited articles on AMD over the past 55 years, in order to provide a bibliographic-historic perspective on the evolution of the understanding and management of this disease.

METHODS

The bibliographic databases of the Institute for Scientific Information (ISI) Web of

Knowledge databases were searched with the assistance of an expert medical librarian. The search was performed using the keyword combinations of 'AMD' and 'senile macular degeneration' that had to appear in the title of the manuscripts. The search included all publications in peer-reviewed journals from 1965 (the earliest year archived in the ISI Web of Knowledge databases) through the date of the search (31 December 2020). The search included all types of publications (original articles, reviews, meta-analyses, case reports, etc) and all available journals and sources, not only those specific to the field of ophthalmology.

The papers were then ranked by the number of total citations since publication. Each paper was reviewed and excluded if not relevant to the topic of AMD. After the list of the 100 most-cited papers was finalised, the following details were recorded for each paper: overall number of citations, mean citations per year since publication, journal name, year of publication, names of first and last authors, number of authors, country of origin (determined by the corresponding author), type of study, number of patients included, and the theme of its main topic. In some cases, the authors listed on the papers in the databases conflicted with the authors listed on the original publications; in these instances, the authors listed in the original publications were used for the present analysis.

Values of the results are presented as mean±SD. Correlations between year of publication and total number of citations and between the year of publication and mean number of citations per year were analysed using Pearson's correlation coefficient, with a p value of 0.05 used to determine statistical significance. Data was analysed using SPSS for Windows V.20.

RESULTS

Overall, the search yielded 7755 articles. Most of these were published in ophthalmology journals (68.7%), and the rest in fields related to other major fields such as genetics, pharmacology, general medicine and biology. The most common countries of origin were the USA (35.5%), Germany (8.3%), United Kingdom (8.1%), Australia (6.1%), France (4.9%), China (4.7%) and Japan (4.5%).

Research interest in AMD has risen greatly in the past two decades. When looking at the total number of publications per year, an increase from about 200–300 to about 500 has occurred in 2004, and then again to over 1000 in 2013. This is presented in the [figure 1](#).

The 100 most-cited papers on AMD, according to this methodology, are presented in the online supplemental table. The mean number of total citations was 754±585, with a median of 543 citations and a range of 343 to 3919. Sixty-one of the 100 most-cited papers on AMD were published in ophthalmology journals, and 39 were published in journals from other fields of research.

The ophthalmology journals, in order of number of papers from the list, were *Ophthalmology* (n=17), *Archives*




Figure 1 Distribution of total publications related to AMD by year of publication. AMD, age-related macular degeneration.

of Ophthalmology (n=11), *American Journal of Ophthalmology* (n=8), *Survey of Ophthalmology* (n=7), *Investigative Ophthalmology and Visual Science* (n=4), *Retina* (n=4), *Progress in Retinal and Eye Research* (n=3), *Experimental Eye Research* (n=3), *BMC Ophthalmology* (n=1), *Molecular Vision* (n=1), *Eye* (n=1) and *Ophthalmic Surgery, Lasers and Imaging* (n=1). More than half (36) of these papers were published in three leading journals in ophthalmology—*Ophthalmology*, *Archives of Ophthalmology*, and *American Journal of Ophthalmology*. Of note is that more than half of the papers published in other journals (22/38) were published in the most prestigious scientific journals—*Science* (n=6), *New England Journal of Medicine* (n=6), *Lancet* (n=4) and *Nature/Nature Genetics* (n=7). All papers in the top 100 were published in English.

The 100 most-cited papers on AMD included 75 original articles, 24 reviews and one case report.⁹ Of the original articles, 27 (36%) were basic science or animal studies, and 48 (64%) were human studies. These included 30 prospective, 15 retrospective and 3 observational studies. Twenty-two of the articles reported the results of multicentre studies, corresponding with 29.3% of the original articles and 45.8% of the human clinical studies.

The top 100 papers were also analysed for the themes of their main topics. The most common topic was treatment of AMD (n=30), followed by genetics (n=23) and pathology and pathogenesis (n=21). Additional topics included AMD risk factors (n=8), epidemiology (n=7), classifications (n=4), general reviews (n=4), natural history (n=2) and imaging (n=1). Since treatment was the leading topic, the top 100 papers were also analysed for the various treatment methods mentioned. These included: ranibizumab (n=12), bevacizumab (n=5), aflibercept (n=2), pegaptanib (n=2), PDT (n=7), triamcinolone (n=1), and AREDS supplementation (n=5).

The 100 most-cited papers on AMD were published between 1983 and 2016. When further divided by decades, there were 18 papers published up to 1999, 61 papers published between 2000 and 2009, and 21 papers published after 2010. There was no correlation between year of publication and total number of citations (p=0.42), but a significant correlation was found between the year of publication and mean number of citations per year (p<0.001), with later publications on average had significantly higher citations per year.

DISCUSSION

The 100 most-cited papers in AMD illustrate the evolution of the diagnosis and treatment of the disease over the past three decades. In addition, they reflect the growing understanding of the role of genetics in the pathogenesis of the disease.

The #1, #3, #7, and #15 papers report, respectively, phase III randomised clinical trial (RCT) results for the anti-VEGF agents ranibizumab (Lucentis),^{10 11} pegaptanib (Macugen),⁸ and aflibercept (Eylea).¹² The #2, #5, #6, and #10 papers are the four original reports that variants in *Complement Factor H (CFH)* associate with clinical AMD.^{14–17} The #4 paper reports the RCT for the original AREDS supplements.¹³ The #8 paper is the Comparison of AMD Treatments Trials (CATT) report of an RCT comparing ranibizumab to bevacizumab (Avastin).²⁷ The #9, #11, and #14 papers are landmark epidemiological reports.^{1 28 29} The #12 paper reviewed oxidative stress in disease pathogenesis.³⁰ The #13 paper is the initial RCT for PDT.⁷ Collectively, these top 15 papers illustrate most of the major advances in AMD diagnosis, treatment, and understanding in the past 30 years. Interestingly, only 6 of these 15 papers (and only 2 of the top 10) were published in ophthalmology journals.

Bevacizumab, an off-label medication which never underwent a major phase III RCT, appears to be underrepresented in the top 15 papers. The first report of bevacizumab was in a single patient; this was the #29 paper and the only case report in the top 100 list.⁹ Subsequent retrospective series, such as the #20 and #49 papers,^{31 32} are also included on the list.

When viewed chronologically, there were about 200–300 papers published per year from 1997 through 2003. There is a modest but appreciable increase starting in 2004, the year pegaptanib received US Food and Drug Administration (FDA) approval. Similarly, there is a more substantial increase in 2013, the year aflibercept received US FDA approval.

The 100 most-cited AMD papers include nine papers authored by a study group with no individual authors named, plus two papers in which the study group is named as the first author, followed by individual investigators. These include the AREDS Research Group (#4 and #46),^{13 33} the CATT Research Group (#8),²⁷ the Treatment of AMD With PDT Study Group (#13 and #18),^{7 34} the Verteporfin in Photodynamic Therapy Study Group (#28),³⁵ the AREDS 2 Research Group (#51),³⁶ the Eye Disease Case-Control Study Group (#62),³⁷ and the Macular Photocoagulation Study Group (#68).⁶ The two papers which listed the study group first, followed by individual investigators, were authored by the CATT Research Group (#16)³⁸ and the UK Inhibition of VEGF in Age-Related Choroidal Neovascularization Study Group (#55).³⁹

In terms of nomenclature, 98 of the top 100 papers exclusively used the term ‘AMD’. The only exceptions were the #66 paper (published in 1983, which used ‘senile macular degeneration’)⁴⁰ and the #11 paper (published in 1995, which used both ‘age-related maculopathy’ and ‘AMD’).²⁹

The limitations of this study are similar to the limitations of previous works using this methodology. The most-cited papers are not necessarily the most scientifically important or clinically relevant. For example, papers #1,¹⁰ #3,¹¹ #4,¹³ and #8²⁷ report RCT results for, respectively, ranibizumab, AREDS supplements, and bevacizumab; these interventions remain highly clinically relevant. Papers #2,¹⁴ #5,¹⁵ #6¹⁶ and #10¹⁷ report the genotype–phenotype association with variants in *CFH*; this is scientifically important and has stimulated much further research but as yet has no clinical applicability. On the other hand, paper #7⁸ reports the RCT results for pegaptanib, which is no longer available in the USA; and paper #9³⁸ reports prevalence rates from 2004 which are now outdated.

Regardless of these limitations, these 100 papers are among the most influential in this field of study.

Funding Partially supported by NIH Centre Core Grant P30EY014801 and an Unrestricted Grant from Research to Prevent Blindness to the University of Miami.

Disclaimer The sponsor or funding organisation had no role in the design or conduct of this research.

Competing interests None declared.

Patient consent for publication Not required.

Provenance and peer review Not commissioned; externally peer reviewed.

Data availability statement All data relevant to the study are included in the article or uploaded as online supplemental information. All data relevant to the study are included in the article.

Supplemental material This content has been supplied by the author(s). It has not been vetted by BMJ Publishing Group Limited (BMJ) and may not have been peer-reviewed. Any opinions or recommendations discussed are solely those of the author(s) and are not endorsed by BMJ. BMJ disclaims all liability and responsibility arising from any reliance placed on the content. Where the content includes any translated material, BMJ does not warrant the accuracy and reliability of the translations (including but not limited to local regulations, clinical guidelines, terminology, drug names and drug dosages), and is not responsible for any error and/or omissions arising from translation and adaptation or otherwise.

Open access This is an open access article distributed in accordance with the Creative Commons Attribution Non Commercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited, appropriate credit is given, any changes made indicated, and the use is non-commercial. See: <http://creativecommons.org/licenses/by-nc/4.0/>.

ORCID iD

Stephen G Schwartz <http://orcid.org/0000-0002-1441-9473>

REFERENCES

- 1 Wong WL, Su X, Li X, *et al*. Global prevalence of age-related macular degeneration and disease burden projection for 2020 and 2040: a systematic review and meta-analysis. *Lancet Glob Health* 2014;2:e106–16.
- 2 Fleckenstein M, Keenan TDL, Guymer RH. Age-related macular degeneration. *Nat Rev Dis Primers* 2021;6.
- 3 de Jong PTVM. Drusen, AMD, and history. *Graefes Arch Clin Exp Ophthalmol* 2015;253:2061–2.
- 4 de Jong PTVM. A historical analysis of the quest for the origins of aging macula disorder, the tissues involved, and its terminology. *Ophthalmol Eye Dis* 2016;8:5–14.
- 5 De Jong PTVM. Elusive drusen and changing terminology of AMD. *Eye* 2018;32:904–14.
- 6 Macular Photocoagulation Study Group. Subfoveal neovascular lesions in age-related macular degeneration. guidelines for evaluation and treatment in the macular photocoagulation study. macular photocoagulation Study Group. *Arch Ophthalmol* 1991;109:1242–57.



- 7 Treatment of Age-Related Macular Degeneration with Photodynamic Therapy (TAP) Study Group. Photodynamic therapy of subfoveal choroidal neovascularization in age-related macular degeneration with verteporfin: one-year results of 2 randomized clinical trials – TAP report 1. *Arch Ophthalmol* 1999;117:1329–45.
- 8 Gragoudas ES, Adamis AP, Cunningham ET, et al. Pegaptanib for neovascular age-related macular degeneration. *N Engl J Med* 2004;351:2805–16.
- 9 Rosenfeld PJ, Moshfeghi AA, Puliafito CA. Optical coherence tomography findings after an intravitreal injection of bevacizumab (Avastin) for neovascular age-related macular degeneration. *Ophthalmic Surg Lasers Imaging* 2005;36:331–5.
- 10 Rosenfeld PJ, Brown DM, Heier JS, et al. Ranibizumab for neovascular age-related macular degeneration. *N Engl J Med* 2006;355:1419–31.
- 11 Brown DM, Kaiser PK, Michels M, et al. Ranibizumab versus verteporfin for neovascular age-related macular degeneration. *N Engl J Med* 2006;355:1432–44.
- 12 Heier JS, Brown DM, Chong V, et al. Intravitreal aflibercept (VEGF trap-eye) in wet age-related macular degeneration. *Ophthalmology* 2012;119:2537–48.
- 13 Age-Related Eye Disease Study Research Group. A randomized, placebo-controlled, clinical trial of high-dose supplementation with vitamins C and E, beta carotene, and zinc for age-related macular degeneration and vision loss: AREDS report no. 8. *Arch Ophthalmol* 2001;119:1417–36.
- 14 Klein RJ, Zeiss C, Chew EY, et al. Complement factor H polymorphism in age-related macular degeneration. *Science* 2005;308:385–9.
- 15 Edwards AO, Ritter R, Abel KJ, et al. Complement factor H polymorphism and age-related macular degeneration. *Science* 2005;308:421–4.
- 16 Haines JL, Hauser MA, Schmidt S, et al. Complement factor H variant increases the risk of age-related macular degeneration. *Science* 2005;308:419–21.
- 17 Hageman GS, Anderson DH, Johnson LV, et al. A common haplotype in the complement regulatory gene factor H (HF1/CFH) predisposes individuals to age-related macular degeneration. *Proc Natl Acad Sci U S A* 2005;102:7227–32.
- 18 Grzybowski A. Impact factor - benefits and limitations. *Acta Ophthalmol* 2015;93:201–2.
- 19 Grzybowski A, Patryn R. Impact factor: universalism and reliability of assessment. *Clin Dermatol* 2017;35:331–4.
- 20 Krauthammer M, Moisseiev E. The 100 most cited articles on vitrectomy: a bibliographic perspective. *Ophthalmol Retina* 2020;4:361–8.
- 21 Nov E, Moisseiev E. The top 100 most-cited papers on intravitreal injections: a bibliographic perspective. *Clin Ophthalmol* 2020;14:2757–72.
- 22 Grzybowski A, Shtayer C, Schwartz SG, et al. The 100 most cited papers on retinal detachment: a bibliographic perspective. *Br J Ophthalmol* 2021. doi:10.1136/bjophthalmol-2020-318015. [Epub ahead of print: 30 Mar 2021].
- 23 Ohba N, Nakao K, Isashiki Y, et al. The 100 most frequently cited articles in ophthalmology journals. *Arch Ophthalmol* 2007;125:952–60.
- 24 Ohba N, Nakao K. The 101 most frequently cited articles in ophthalmology journals from 1850 to 1949. *Arch Ophthalmol* 2010;128:1610–7.
- 25 Koh BMQR, Banu R, Sabanayagam C. The 100 most cited articles in ophthalmology in Asia. *Asia Pac J Ophthalmol* 2020;9:379–97.
- 26 Koh BMQR, Banu R, Nusinovi S, et al. 100 most-cited articles on diabetic retinopathy. *Br J Ophthalmol* 2020. doi:10.1136/bjophthalmol-2020-316609. [Epub ahead of print: 27 Aug 2020].
- 27 CATT Research Group, Martin DF, Maguire MG, et al. Ranibizumab and bevacizumab for neovascular age-related macular degeneration. *N Engl J Med* 2011;364:1897–908.
- 28 Friedman DS, O'Colmain BJ, Muñoz B, et al. Prevalence of age-related macular degeneration in the United States. *Arch Ophthalmol* 2004;122:564–72.
- 29 Bird AC, Bressler NM, Bressler SB, et al. An international classification and grading system for age-related maculopathy and age-related macular degeneration. The International arm epidemiological study Group. *Surv Ophthalmol* 1995;39:367–74.
- 30 Beatty S, Koh H, Phil M, et al. The role of oxidative stress in the pathogenesis of age-related macular degeneration. *Surv Ophthalmol* 2000;45:115–34.
- 31 Avery RL, Pieramici DJ, Rabena MD, et al. Intravitreal bevacizumab (Avastin) for neovascular age-related macular degeneration. *Ophthalmology* 2006;113:363–72.
- 32 Spaide RF, Laud K, Fine HF, et al. Intravitreal bevacizumab treatment of choroidal neovascularization secondary to age-related macular degeneration. *Retina* 2006;26:383–90.
- 33 Age-Related Eye Disease Study Research Group. Risk factors associated with age-related macular degeneration. A case-control study in the age-related eye disease study: age-related eye disease study report number 3. *Ophthalmology* 2000;107:2224–32.
- 34 Treatment of Age-Related Macular Degeneration with Photodynamic Therapy (TAP) Study Group. Photodynamic therapy of subfoveal choroidal neovascularization in age-related macular degeneration with verteporfin: two-year results of 2 randomized clinical trials-tap report 2. *Arch Ophthalmol* 2001;119:198–207.
- 35 Verteporfin in Photodynamic Therapy Study Group. Verteporfin therapy of subfoveal choroidal neovascularization in age-related macular degeneration: two-year results of a randomized clinical trial including lesions with occult with no classic choroidal neovascularization – verteporfin in photodynamic therapy report 2. *Arch Ophthalmol* 2001;131:541–60.
- 36 Age-Related Eye Disease Study 2 Research Group. Lutein + zeaxanthin and omega-3 fatty acids for age-related macular degeneration: the age-related eye disease study 2 (AREDS2) randomized clinical trial. *JAMA* 2013;309:2005–15.
- 37 The Eye Disease Case-Control Study Group. Risk factors for neovascular age-related macular degeneration. *Arch Ophthalmol* 1992;110:1701–8.
- 38 Comparison of Age-related Macular Degeneration Treatments Trials (CATT) Research Group, Martin DF, Maguire MG, et al. Ranibizumab and bevacizumab for treatment of neovascular age-related macular degeneration: two-year results. *Ophthalmology* 2012;119:1388–98.
- 39 IVAN Study Investigators, Chakravarthy U, Harding SP, et al. Ranibizumab versus bevacizumab to treat neovascular age-related macular degeneration: one-year findings from the IVAN randomized trial. *Ophthalmology* 2012;119:1399–411.
- 40 Hyman LG, Lilienfeld AM, Ferris FL, et al. Senile macular degeneration: a case-control study. *Am J Epidemiol* 1983;118:213–27.

Supplementary Table: The 100 Most-Cited Papers on Age-Related Macular Degeneration

Authors	Title	Journal	Publication Year	Number Of Citations
Rosenfeld PJ, Brown DM, Heier JS, et al.	Ranibizumab For Neovascular Age-Related Macular Degeneration	NEW ENGLAND JOURNAL OF MEDICINE	2006	3919
Klein RJ, Zeiss C, Chew EY, et al.	Complement Factor H Polymorphism in Age-Related Macular Degeneration	SCIENCE	2005	3122
Brown DM, Kaiser PK, Michels M, et al.	Ranibizumab Versus Verteporfin for Neovascular Age-Related Macular Degeneration	NEW ENGLAND JOURNAL OF MEDICINE	2006	2481
Age-Related Eye Disease Study Research Group	A Randomized, Placebo-Controlled, Clinical Trial of High-Dose Supplementation With Vitamins C and E, Beta Carotene, and Zinc For Age-Related Macular Degeneration and Vision Loss - AREDS Report No. 8	ARCHIVES OF OPHTHALMOLOGY	2001	2003
Edwards AO, Ritter R, Abel KJ, et al.	Complement Factor H Polymorphism and Age-Related Macular Degeneration	SCIENCE	2005	1836
Haines JL, Hauser MA, Schmidt S, et al.	Complement Factor H Variant Increases the Risk of Age-Related Macular Degeneration	SCIENCE	2005	1821
Gragoudas ES, Adamis AP, Cunningham ET, et al.	Pegaptanib For Neovascular Age-Related Macular Degeneration	NEW ENGLAND JOURNAL OF MEDICINE	2004	1812

The CATT Research Group	Ranibizumab And Bevacizumab for Neovascular Age-Related Macular Degeneration	NEW ENGLAND JOURNAL OF MEDICINE	2011	1704
Friedman DS, O'Colmain B, Munoz B, et al.	Prevalence of Age-Related Macular Degeneration in the United States	ARCHIVES OF OPHTHALMOLOGY	2004	1661
Hageman GS, Anderson DH, Johnson LV, et al.	A Common Haplotype in the Complement Regulatory Gene Factor H (HF1/CFH) Predisposes Individuals to Age-Related Macular Degeneration	PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF THE UNITED STATES OF AMERICA	2005	1491
Bird AC, Bressler NM, Bressler SB, et al.	An International Classification and Grading System for Age-Related Maculopathy and Age-Related Macular Degeneration. The International ARM Epidemiological Study Group.	SURVEY OF OPHTHALMOLOGY	1995	1434
Beatty S, Koh HH, Phil M, Henson D, Boulton M	The Role of Oxidative Stress in the Pathogenesis of Age-Related Macular Degeneration	SURVEY OF OPHTHALMOLOGY	2000	1427
Treatment of Age-Related Macular Degeneration With Photodynamic Therapy (TAP) Study Group	Photodynamic Therapy of Subfoveal Choroidal Neovascularization In Age-Related Macular Degeneration With Verteporfin - One-Year Results Of 2 Randomized Clinical Trials - TAP Report 1	ARCHIVES OF OPHTHALMOLOGY	1999	1367
Wong WL, Su X, Li X, et al.	Global Prevalence of Age-Related Macular Degeneration and Disease Burden Projection for 2020	LANCET GLOBAL HEALTH	2014	1299

	And 2040: A Systematic Review and Meta-Analysis			
Heier JS, Brown DM, Chong V, et al.	Intravitreal Aflibercept (VEGF Trap-Eye) in Wet Age-Related Macular Degeneration	OPHTHALMOLOGY	2012	1187
Comparison of Age-Related Macular Degeneration Treatments Trials (CATT) Research Group, Martin DF, Maguire MG, et al.	Ranibizumab and Bevacizumab for Treatment of Neovascular Age-Related Macular Degeneration: Two-Year Results	OPHTHALMOLOGY	2012	1110
Seddon JM, Ajani UA, Sperduto RD, et al.	Dietary Carotenoids, Vitamins A, C, and E, and Advanced Age-Related Macular Degeneration. Eye Disease Case-Control Study Group.	JAMA-JOURNAL OF THE AMERICAN MEDICAL ASSOCIATION	1994	1082
Treatment of Age-Related Macular Degeneration with Photodynamic Therapy (TAP) Study Group	Photodynamic Therapy of Subfoveal Choroidal Neovascularization in Age-Related Macular Degeneration with Verteporfin - Two-Year Results Of 2 Randomized Clinical Trials - TAP Report 2	ARCHIVES OF OPHTHALMOLOGY	2001	958
Hageman GS, Luthert PJ, Victor Chong NH, et al.	An Integrated Hypothesis That Considers Drusen as Biomarkers of Immune-Mediated Processes at the RPE-Bruch's Membrane Interface in Aging and Age-Related Macular Degeneration	PROGRESS IN RETINAL AND EYE RESEARCH	2001	955
Avery RL, Pieramici DJ, Rabena MD, et al.	Intravitreal Bevacizumab (Avastin) for Neovascular Age-Related Macular Degeneration	OPHTHALMOLOGY	2006	953

Lim LS, Mitchell P, Seddon JM, Holz FG, Wong TY	Age-Related Macular Degeneration	LANCET	2012	925
Brown DM, Michels M, Kaiser PK, et al.	Ranibizumab Versus Verteporfin Photodynamic Therapy for Neovascular Age-Related Macular Degeneration: Two-Year Results of the ANCHOR Study	OPHTHALMOLOGY	2009	868
Crabb JW, Miyagi M, Gu X, et al.	Drusen Proteome Analysis: An Approach to the Etiology of Age-Related Macular Degeneration	PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF THE UNITED STATES OF AMERICA	2002	852
Gold B, Merriam JE, Zernant J, et al.	Variation in Factor B (BF) and Complement Component 2 (C2) Genes is Associated With Age-Related Macular Degeneration	NATURE GENETICS	2006	843
Fung AE, Lalwani GA, Rosenfeld PJ, et al.	An Optical Coherence Tomography-Guided, Variable Dosing Regimen with Intravitreal Ranibizumab (Lucentis) for Neovascular Age-Related Macular Degeneration	AMERICAN JOURNAL OF OPHTHALMOLOGY	2007	782
Ferris FL 3 rd , Fine SL, Hyman L	Age-Related Macular Degeneration and Blindness Due to Neovascular Maculopathy	ARCHIVES OF OPHTHALMOLOGY	1984	778
Zarbin MA	Current Concepts in the Pathogenesis of Age-Related Macular Degeneration	ARCHIVES OF OPHTHALMOLOGY	2004	776

Verteporfin in Photodynamic Therapy Study Group	Verteporfin Therapy of Subfoveal Choroidal Neovascularization in Age-Related Macular Degeneration: Two-Year Results Of A Randomized Clinical Trial Including Lesions With Occult With No Classic Choroidal Neovascularization-Verteporfin In Photodynamic Therapy Report 2	AMERICAN JOURNAL OF OPHTHALMOLOGY	2001	746
Rosenfeld PJ, Moshfeghi AA, Puliafito CA	Optical Coherence Tomography Findings After an Intravitreal Injection of Bevacizumab (Avastin) for Neovascular Age-Related Macular Degeneration	OPHTHALMIC SURGERY LASERS & IMAGING	2005	740
Ambati J, Ambati BK, Yoo SH, Ianchulev S, Adamis AP	Age-Related Macular Degeneration: Etiology, Pathogenesis, and Therapeutic Strategies	SURVEY OF OPHTHALMOLOGY	2003	734
Smith W, Assink J, Klein R, et al.	Risk Factors for Age Related Macular Degeneration - Pooled Findings From Three Continents	OPHTHALMOLOGY	2001	702
Klein R, Peto T, Bird A, Vannewkirk MR	The Epidemiology of Age-Related Macular Degeneration	AMERICAN JOURNAL OF OPHTHALMOLOGY	2004	695
Allikmets R, Shroyer NF, Singh N, et al.	Mutation of the Stargardt Disease Gene (ABCR) in Age-Related Macular Degeneration	SCIENCE	1997	692
Bressler NM, Bressler SB, Fine SL	Age-related macular degeneration	SURVEY OF OPHTHALMOLOGY	1988	688
Dewan A, Liu M, Hartman S, et al.	HTRA1 Promoter Polymorphism in Wet Age-	SCIENCE	2006	658

	Related Macular Degeneration			
Lalwani GA, Rosenfeld PJ, Fung AE, et al.	A Variable-Dosing Regimen with Intravitreal Ranibizumab for Neovascular Age-Related Macular Degeneration: Year 2 of the Pronto Study	AMERICAN JOURNAL OF OPHTHALMOLOGY	2009	652
Mullin RF, Russell SR, Anderson DH, Hageman GS	Drusen Associated with Aging and Age-Related Macular Degeneration Contain Proteins Common to Extracellular Deposits Associated with Atherosclerosis, Elastosis, Amyloidosis, and Dense Deposit Disease	FASEB JOURNAL	2000	644
Schwartz SD, Regillo CD, Lam BL, et al.	Human Embryonic Stem Cell-Derived Retinal Pigment Epithelium in Patients with Age-Related Macular Degeneration and Stargardt's Macular Dystrophy: Follow-Up of Two Open-Label Phase 1/2 Studies	LANCET	2015	644
Regillo CD, Brown DM, Abraham P, et al.	Randomized, Double-Masked, Sham-Controlled Trial of Ranibizumab for Neovascular Age-Related Macular Degeneration: PIER Study Year 1	AMERICAN JOURNAL OF OPHTHALMOLOGY	2008	630
Yates JR, Sepp T, Matahru BK, et al.	Complement C3 Variant and the Risk of Age-Related Macular Degeneration	NEW ENGLAND JOURNAL OF MEDICINE	2007	614
Rivera A, Fisher SA, Fritsche LG, et al.	Hypothetical LOC387715 is a Second Major Susceptibility Gene for Age-Related Macular Degeneration, Contributing	HUMAN MOLECULAR GENETICS	2005	601

	Independently of Complement Factor H to Disease Risk			
Snodderly DM	Evidence for protection against age-related macular degeneration by carotenoids and antioxidant vitamins	AMERICAN JOURNAL OF CLINICAL NUTRITION	1995	600
Yang Z, Camp NJ, Sun H, et al.	A Variant of the HTRA1 Gene Increases Susceptibility to Age-Related Macular Degeneration	SCIENCE	2006	592
Ferrara N, Damico L, Shams N, Lowman H, Kim R	Development of Ranibizumab, an Anti-Vascular Endothelial Growth Factor Antigen Binding Fragment, as Therapy for Neovascular Age-Related Macular Degeneration	RETINA-THE JOURNAL OF RETINAL AND VITREOUS DISEASES	2006	591
Kvanta A, Algvere PV, Berglin L, Seregard S	Subfoveal Fibrovascular Membranes in Age-Related Macular Degeneration Express Vascular Endothelial Growth Factor	INVESTIGATIVE OPHTHALMOLOGY & VISUAL SCIENCE	1996	587
Age-Related Eye Disease Study Research Group	Risk Factors Associated with Age-Related Macular Degeneration - A Case-Control Study in the Age-Related Eye Disease Study: Age-Related Eye Disease Study Report Number 3	OPHTHALMOLOGY	2000	581
Green WR, Enger C	Age-related macular degeneration histopathologic studies. The 1992 Lorenz E. Zimmerman Lecture	OPHTHALMOLOGY	1993	579

Ferris FL 3 rd , Wikinson CP, Bird A, et al.	Clinical Classification of Age-Related Macular Degeneration	OPHTHALMOLOGY	2013	573
Spaide RF, Laud K, Fine HF, et al.	Intravitreal Bevacizumab Treatment of Choroidal Neovascularization Secondary to Age-Related Macular Degeneration	RETINA-THE JOURNAL OF RETINAL AND VITREOUS DISEASES	2006	549
Lopez PF, Sippy BD, Lambert HM, Thach AB, Hinton DR	Transdifferentiated Retinal Pigment Epithelial Cells are Immunoreactive for Vascular Endothelial Growth Factor in Surgically Excised Age-Related Macular Degeneration-Related Choroidal Neovascular Membranes	INVESTIGATIVE OPHTHALMOLOGY & VISUAL SCIENCE	1996	544
Age-Related Eye Disease Study 2 Research Group	Lutein + Zeaxanthin and Omega-3 Fatty Acids for Age-Related Macular Degeneration: The Age-Related Eye Disease Study 2 (AREDS2) Randomized Clinical Trial	JAMA-JOURNAL OF THE AMERICAN MEDICAL ASSOCIATION	2013	542
Winkler BS, Boulton ME, Gottsch JD, Sternberg P	Oxidative Damage and Age-Related Macular Degeneration	MOLECULAR VISION	1999	537
Curcio CA, Medeiros NE, Millican CL	Photoreceptor Loss in Age-Related Macular Degeneration	INVESTIGATIVE OPHTHALMOLOGY & VISUAL SCIENCE	1996	532
Michels S, Rosenfeld PJ, Puliafito CA, Marcus EN, Venkatraman AS	Systemic Bevacizumab (Avastin) Therapy for Neovascular Age-Related Macular Degeneration - Twelve-Week Results of an Uncontrolled Open-Label Clinical Study	OPHTHALMOLOGY	2005	528
IVAN Study Investigators,	Ranibizumab Versus Bevacizumab to Treat	OPHTHALMOLOGY	2012	528

Chakravarthy U, Harding SP, et al.	Neovascular Age-Related Macular Degeneration			
Fritsche LG, Chen W, Schu M, et al.	Seven New Loci Associated with Age-Related Macular Degeneration	NATURE GENETICS	2013	515
Yannuzzi LA, Negrao S, Iida T, et al.	Retinal Angiomatous Proliferation in Age-Related Macular Degeneration	RETINA-THE JOURNAL OF RETINAL AND VITREOUS DISEASES	2001	512
Hollyfield JG, Bonilha VL, Rayborn ME, et al.	Oxidative Damage-Induced Inflammation Initiates Age-Related Macular Degeneration	NATURE MEDICINE	2008	506
Fritsche LG, Igl W, Bailey JN, et al.	A Large Genome-Wide Association Study of Age-Related Macular Degeneration Highlights Contributions of Rare and Common Variants	NATURE GENETICS	2016	491
Ambati J, Anand A, Fernandez S, et al.	An Animal Model of Age-Related Macular Degeneration in Senescent Ccl-2-Or Ccr-2-Deficient Mice	NATURE MEDICINE	2003	490
Young RW	Pathophysiology of Age-Related Macular Degeneration	SURVEY OF OPHTHALMOLOGY	1987	486
The Eye Disease Case-Control Study Group	Risk Factors for Neovascular Age-Related Macular Degeneration	ARCHIVES OF OPHTHALMOLOGY	1992	486
Jia Y, Bailey ST, Wilson DJ, et al.	Quantitative Optical Coherence Tomography Angiography of Choroidal Neovascularization in Age-Related Macular Degeneration	OPHTHALMOLOGY	2014	480

Anderson DH, Radeke MJ, Gallo NB, et al.	The Pivotal Role of the Complement System in Aging and Age-Related Macular Degeneration: Hypothesis Re-Visited	PROGRESS IN RETINAL AND EYE RESEARCH	2010	480
Bhutto I, Luty G	Understanding Age-Related Macular Degeneration (AMD): Relationships Between the Photoreceptor/Retinal Pigment Epithelium/Bruch's Membrane/Choriocapillaris Complex	MOLECULAR ASPECTS OF MEDICINE	2012	469
Hyman LG, Liliensfeld AM, Ferris FL 3 rd , Fine SL	Senile macular degeneration: A case-control study	AMERICAN JOURNAL OF EPIDEMIOLOGY	1983	468
Maller J, George S, Purcell S, et al.	Common Variation in Three Genes, Including a Noncoding Variant in CFH, Strongly Influences Risk of Age-Related Macular Degeneration	NATURE GENETICS	2006	466
Macular Photocoagulation Study Group	Subfoveal Neovascular Lesions in Age-Related Macular Degeneration: Guidelines for Evaluation and Treatment in the Macular Photocoagulation Study	ARCHIVES OF OPHTHALMOLOGY	1991	461
Johnson LV, Leitner WP, Staples MK, Anderson DH	Complement Activation and Inflammatory Processes in Drusen Formation and Age Related Macular Degeneration	EXPERIMENTAL EYE RESEARCH	2001	453
Schmidt-Erfurth U, Kaiser PK, Korobelnik JF, et al.	Intravitreal Aflibercept Injection for Neovascular Age-Related Macular Degeneration: Ninety-Six-	OPHTHALMOLOGY	2014	442

	Week Results of the VIEW Studies			
Ambati J, Fowler BJ	Mechanisms of Age-Related Macular Degeneration	NEURON	2012	438
Tomany SC, Wang JJ, Van Leeuwen R, et al.	Risk Factors for Incident Age-Related Macular Degeneration - Pooled Findings from 3 Continents	OPHTHALMOLOGY	2004	432
Clemons TE, Milton RC, Klein R, et al.	Risk Factors for the Incidence of Advanced Age-Related Macular Degeneration in the Age-Related Eye Disease Study (AREDS) - AREDS Report No.19	OPHTHALMOLOGY	2005	424
Klein R, Klein BEK, Knudtson MD, et al.	Fifteen-Year Cumulative Incidence of Age-Related Macular Degeneration: The Beaver Dam Eye Study	OPHTHALMOLOGY	2007	422
Ding X, Patel M, Chan CC	Molecular Pathology of Age-Related Macular Degeneration	PROGRESS IN RETINAL AND EYE RESEARCH	2009	407
Chung SE, Kang SW, Lee JH, Kim YT	Choroidal Thickness in Polypoidal Choroidal Vasculopathy and Exudative Age-Related Macular Degeneration	OPHTHALMOLOGY	2011	406
Liang FQ, Godley BF	Oxidative Stress-Induced Mitochondrial DNA Damage in Human Retinal Pigment Epithelial Cells: A Possible Mechanism for RPE Aging and Age-Related Macular Degeneration	EXPERIMENTAL EYE RESEARCH	2003	405
Maruko I, Iida T, Saito M, Nagayama D, Saito K	Clinical Characteristics of Exudative Age-Related Macular Degeneration in Japanese Patients	AMERICAN JOURNAL OF OPHTHALMOLOGY	2007	396

Davis MD, Gangnon RE, Lee LY, et al.	The Age-Related Eye Disease Study Severity Scale for Age-Related Macular Degeneration: AREDS Report No. 17	ARCHIVES OF OPHTHALMOLOGY	2005	396
Nowak JZ	Age-Related Macular Degeneration (AMD): Pathogenesis and Therapy	PHARMACOLOGICAL REPORTS	2006	393
Kaneko H, Dridi S, Tarallo V, et al.	DICER1 Deficit Induces Alu RNA Toxicity in Age-Related Macular Degeneration	NATURE	2011	393
Combadiere C, Feumi C, Raoul W, et al.	CX3CR1-Dependent Subretinal Microglia Cell Accumulation is Associated with Cardinal Features of Age-Related Macular Degeneration	JOURNAL OF CLINICAL INVESTIGATION	2007	392
Ferris FL, Davis MD, Clemons TE, et al.	A Simplified Severity Scale for Age-Related Macular Degeneration: AREDS Report No. 18	ARCHIVES OF OPHTHALMOLOGY	2005	388
Chakravarthy U, Wong TY, Fletcher A, et al.	Clinical Risk Factors for Age-Related Macular Degeneration: A Systematic Review and Meta-Analysis	BMC OPHTHALMOLOGY	2010	386
Dunaief JL, Denchev T, Ying GS, Milam AH	The Role of Apoptosis in Age-Related Macular Degeneration	ARCHIVES OF OPHTHALMOLOGY	2002	382
Donoso LA, Kim D, Frost A, Callahan A, Hageman G	The Role of Inflammation in the Pathogenesis of Age-Related Macular Degeneration	SURVEY OF OPHTHALMOLOGY	2006	380
Gehrs KM, Anderson DH, Johnson LV, Hageman GS	Age-Related Macular Degeneration - Emerging Pathogenetic and Therapeutic Concepts	ANNALS OF MEDICINE	2006	379

Chen W, Stambolian D, Edwards AO, et al.	Genetic Variants Near TIMP3 and High-Density Lipoprotein-Associated Loci Influence Susceptibility to Age-Related Macular Degeneration	PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF THE UNITED STATES OF AMERICA	2010	378
Danis RP, Ciulla TA, Pratt LM, Anliker W	Intravitreal Triamcinolone Acetonide in Exudative Age-Related Macular Degeneration	RETINA-THE JOURNAL OF RETINAL AND VITREOUS DISEASES	2000	377
Holz FG, Bellman C, Staudt S, Schutt F, Volcker HE	Fundus Autofluorescence and Development of Geographic Atrophy in Age-Related Macular Degeneration	INVESTIGATIVE OPHTHALMOLOGY & VISUAL SCIENCE	2001	375
Samiec PS, Drews-Botsch C, Flagg EW, et al.	Glutathione in Human Plasma: Decline in Association with Aging, Age-Related Macular Degeneration, and Diabetes	FREE RADICAL BIOLOGY AND MEDICINE	1998	375
Fine SL, Berger JW, Maguire MG, Ho AC	Drug Therapy: Age-Related Macular Degeneration.	NEW ENGLAND JOURNAL OF MEDICINE	2000	368
Tarallo V, Hirano Y, Gelfand BD, et al.	DICER1 Loss and Alu RNA Induce Age-Related Macular Degeneration Via the NLRP3 Inflammasome And Myd88	CELL	2012	363
Holz FG, Bindewald-Wittich A, Fleckenstein M, et al.	Progression of Geographic Atrophy and Impact of Fundus Autofluorescence Patterns in Age-Related Macular Degeneration	AMERICAN JOURNAL OF OPHTHALMOLOGY	2007	359
Gupta N, Brown KE, Milam AH	Activated Microglia in Human Retinitis Pigmentosa, Late-Onset Retinal Degeneration, and	EXPERIMENTAL EYE RESEARCH	2003	356

	Age-Related Macular Degeneration			
Seddon JM, Willett WC, Speizer FE, Hankinson SE	A Prospective Study of Cigarette Smoking and Age-Related Macular Degeneration in Women	JAMA-JOURNAL OF THE AMERICAN MEDICAL ASSOCIATION	1996	354
Schmidt-Erfurth U, Hasan T	Mechanisms of Action of Photodynamic Therapy With Verteporfin for the Treatment of Age-Related Macular Degeneration	SURVEY OF OPHTHALMOLOGY	2000	352
Coleman HR, Chan CC, Ferris FL 3 rd , Chew EY	Age-Related Macular Degeneration	LANCET	2008	351
Wong TY, Chakravarthy U, Klein R, et al.	The Natural History and Prognosis Of Neovascular Age-Related Macular Degeneration	OPHTHALMOLOGY	2008	345
Thornton J, Edwards R, Mitchell P, et al.	Smoking and Age-Related Macular Degeneration: A Review of Association	EYE	2005	343